

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
16 December 2004 (16.12.2004)


PCT

(10) International Publication Number
WO 2004/110028 A1


- (51) International Patent Classification⁷: **H04L 29/08**
- (21) International Application Number:
PCT/GB2004/002471
- (22) International Filing Date: 10 June 2004 (10.06.2004)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
0313375.8 10 June 2003 (10.06.2003) GB
- (71) Applicant (for all designated States except US): **SYMBIAN SOFTWARE LIMITED** [GB/GB]; 2-6 Boundary Row, London SE1 8HP (GB).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **McDOWALL, Ian** [GB/GB]; 12 Bosworth Road, Cambridge CB1 8RG (GB).
- (74) Agent: **ORIGIN LIMITED**; 52 Muswell Hill Road, London N10 3JR (GB).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,

[Continued on next page]

(54) Title: METHOD OF DISCOVERING A SERVICE RUNNING ON A COMPUTING DEVICE AND CONNECTING A CLIENT RUNNING ON A DIFFERENT COMPUTING DEVICE TO SAID SERVICE



(57) Abstract: In an implementation of the invention, services installed on a computing device register their published name, which conforms to a structured naming convention, such as reversed domain information, with a 'service broker' on that device. The service broker uses a single well-known port number address. When an external client, connected to the computing device that has a service broker, wants to use a service on that computing device, it sends a message to the service broker using the well known port number. The message specifies the name of the desired server and requests that the service broker inform it of the appropriate connection point (e.g. port number) to use. There is no dependency on port numbers or unstructured and arbitrary naming conventions.



WO 2004/110028 A1



FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

— *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments*

Published:

— *with international search report*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.